

# Setting Up Pylint for Django Project

## Setting Up Pylint in a Django Project?


- Installation using: `pip install pylint pylint-django`
- Generate Config file by using: `pylint --generate-rcfile > .pylintrc`
- Modify `.pylintrc` to remove some rules and add `load-plugins=pylint_django`
- Run it using: `pylint <your-django-project-directory>` or `pylint $(find . -name "*.py" ! -path "./.venv/*")` or

```
pylint --load-plugins pylint_django --django-settings-module=your.app.settings
```

### Example: `.pylintrc` Configuration

Here's an example of what a `.pylintrc` file might look like for a Django project:

ini

 Copy code

```
[MASTER]
load-plugins=pylint_django

[MESSAGES CONTROL]
disable=C0114, C0115, C0116 # Disable missing module/class/function docstring mess

[DESIGN]
max-args=10 # Increase the maximum number of arguments for a function/method

[BASIC]
good-names=i,j,k,ex,Run,_,pk,id # Additional names to consider as good names

[FORMAT]
max-line-length=120 # Set maximum allowed line length
```

# Recommendations for Improvement

- **Integrate with CI/CD:** Integrate Pylint into your CI/CD pipeline to ensure code quality is checked on every commit.
  - **Custom Plugins:** Create custom Pylint plugins if your project has unique requirements.
  - **Consistent Review:** Regularly update and review the `.pylintrc` file to adapt to new coding standards and project changes.
- 

Revision #8

Created 21 June 2024 03:16:19 by Admin

Updated 21 June 2024 05:26:26 by Admin